Reply filed: May 9, 2005 Application No.: 09/662,630

Docket No. 0879-0276P

AMENDMENTS TO THE CLAIMS

(Previously Presented) A video image producing method, comprising the 1.

steps of:

displaying a movie as a background image on a screen;

taking video by overlapping a subject with the background image;

providing a treadmill in a floor on which the subject is located; and

controlling speed of the treadmill and moving speed of the background

image in order to synchronize both of the speeds.

2. (Canceled)

(Previously Presented) The video image producing method as defined in 3.

claim 1, wherein said speed of the treadmill and said speed of the background

image are changed by the subject with a remote control operation.

(Original) The video image producing method as defined in claim 1, wherein 4.

at least one of color temperature and brightness of an illumination light

illuminating the subject is changed in accordance with said background image.

Reply filed: May 9, 2005 Application No.: 09/662,630

Docket No. 0879-0276P

5. (Original) The video image producing method as defined in claim 1, wherein sound is reproduced so as to record the sound with said video taking.

6. (Withdrawn) A video image producing method, comprising the steps of:

displaying an image corresponding with a desired tune on a screen as a

background image while reproducing auto-accompaniment representing said tune;

and

taking video by overlapping a player with said background image while

recording said auto-accompaniment and sound of the player.

7. (Withdrawn) The video image producing method as defined in claim 6,

wherein if the tempo of said auto-accompaniment is changed, the background

image is reproduced corresponding with tempo of the auto-accompaniment.

8. (Previously Presented) A video image producing apparatus, comprising:

a video taking box located on a floor and which accommodates a subject;

a projector which displays an image on a screen being a wall of said video taking

box;

an image storing device which stores a sequence of background images;

a projector control device which reads out the background images from said

image storing device and outputs the background image to said projector;

Reply filed: May 9, 2005 Application No.: 09/662,630 Docket No. 0879-0276P

a video camera which is provided at a position to face at said screen;

a treadmill which is provided in a floor of said video taking box; and

a control device which controls speed of the treadmill and moving speed of said background image such that the speeds are synchronized;

wherein said video image producing apparatus takes video by overlapping the subject with the background image.

9. (Original) The video image producing apparatus as defined in claim 8, further comprising:

a speaker which is provided within said video taking box;

an audio storing device which stores audio data;

an audio reproducing device which reproduces sound by reading out the audio data from said audio storing device and outputs audio data to said speaker; and

a recording device with a microphone which records sound in said video taking box.

10. (Canceled)

11. (Original) The video image producing apparatus as defined in claim 8, further comprising:

Reply filed: May 9, 2005

Application No.: 09/662,630

Docket No. 0879-0276P

a remote control which controls at least said speed of the treadmill;

a receiver which receives a remote control signal from said remote control;

and

a control device which controls the speed of said treadmill in accordance

with the remote control signal received by the receiver, controls the reading out of

the background image from said image storing device and synchronizes the speed

of said treadmill and said moving speed of said background image.

12. (Original) The video image producing apparatus as defined in claim 8,

further comprising:

an illumination device which changes at least one of color temperature and

brightness of an illumination light illuminating the subject; and

an adjusting device which adjusts the at least one of the color temperature

and brightness of said illumination device in accordance with the at least one of

the color temperature and brightness of said background image.

(Original) The video image producing apparatus as defined in claim 8, 13.

further comprising: a ring light which encloses said video camera as the

illumination device for illuminating the subject.

Reply filed: May 9, 2005 Application No.: 09/662,630 Docket No. 0879-0276P

14.

wherein the entire wall of said video taking box is the screen, and a plurality of pairs of video cameras and illumination devices are built in said screen.

(Original) The video image producing apparatus as defined in claim 8,

15. (Original) The video image producing apparatus as defined in claim 14, further comprising: a switch device which selectively switches one pair of said plurality pairs of video cameras and illumination devices to be operable.

16. (Currently Amended) A video image producing method, comprising: providing a video taking enclosure having a plurality of individual walls which accommodate a subject;

providing a plurality of projectors, each of which displays a sequence of images on one of a plurality of wall screens associated with each individual wall of the video taking enclosure; and

providing a plurality of video cameras, each of which views a different individual wall screen of the video taking enclosure; and

wherein video may be taken by one or more of the cameras by combining the subject and the <u>a</u> background image viewed by a given camera.

Reply filed: May 9, 2005 Application No.: 09/662,630

Docket No. 0879-0276P

17. (Previously Presented) The video image producing method according to

claim 16, wherein the video is taken by a camera having a straight line of sight to

a projector.

18. (Previously Presented) The video image producing method according

to claim 16, wherein the plurality of projectors do not directly illuminate the

subject.

19. (Previously Presented) The video image producing method according to

claim 16, further comprising:

selecting from at least one of the plurality of video cameras to take the video,

wherein each of the plurality of cameras directly views the subject and one of a

plurality of screens.

20. (Previously Presented) The video image producing method according to

claim 19, wherein the selecting is performed automatically.

21. (Previously Presented) The video image producing method according to

claim 16, further comprising:

Reply filed: May 9, 2005

Application No.: 09/662,630 Docket No. 0879-0276P

displaying a plurality of movies on the plurality of screens, wherein each one

of the plurality of movies is separately displayed on each screen of the plurality of

screens, and further wherein the plurality of screens surround the subject.

22. (Currently Amended) A video image producing system, comprising:

a video taking enclosure having a plurality of individual walls which

accommodate a subject;

a plurality of projectors, each of which displays a sequence of images on one

of a plurality of wall screens associated with each individual wall of the video

taking enclosure; and

a plurality of video cameras, each of which views a different individual wall

screen of the video taking enclosure; and

video may be taken by one or more of the cameras by combining the subject

and the a background image viewed by a given camera.